



NEWS RELEASE

FOR IMMEDIATE RELEASE

CONTACTS

April Lowther
MarCom Supervisor
EnerSys
800-538-3627 Ext. 1729
Fax: 610-372-8613
E-mail: april.lowther@enersys.com

Brian Salvatore
Public Relations
Harris, Baio & McCullough
215-440-9800
Fax: 215-440-0717
E-mail: brian@hbmadv.com

EnerSys® Upgrades ODYSSEY® Performance Series™ Group 31 Battery to 925 Cold Cranking Amps

READING, Pennsylvania, December 12, 2017 – EnerSys® (NYSE:ENS), the global leader in stored energy solutions for industrial applications and the manufacturer of ODYSSEY® batteries, has upgraded its ODYSSEY® Performance Series™ Group 31 battery from 800 Cold Cranking Amps (CCA) to 925 CCA. The introduction of the ODYSSEY® 31-925 battery is a direct result of increased market demand for greater performance.

The ODYSSEY® 31-925 battery is designed to handle the increased use of onboard accessories in today's commercial trucks and tractor trailers. Manufactured with Thin Plate Pure Lead (TPPL) technology, the ODYSSEY® 31-925 battery provides engine-cranking pulses up to 1,750 amps and 925 CCA, and can also handle 400 charge-discharge cycles at 80 percent depth of discharge. Additionally, dry cell Absorbed Glass Mat (AGM) separators hold acid in place to prevent spills, even when the battery is installed on its side.

“The ODYSSEY® 31-925 battery is a powerful and reliable option for today's commercial trucking and tractor trailer fleets,” said Alan Kohler, transportation and specialty marketing manager at EnerSys. “With today's no-idling laws, the ODYSSEY® 31-925 battery helps big rigs keep everything running in the cab when the engine isn't, and still delivers reliable starting power.”

The ODYSSEY® 31-925 battery measures 13.0" L x 6.78" W x 9.42" H and weighs 69.0 lbs. It is available with 3/8-16" stud or SAE posts.

TPPL technology is applied to the manufacturing of flat plates made of 99.99 percent pure lead, not lead alloy. These pure lead plates are made thinner, enabling more to fit in the battery for increased plate surface area. The additional surface area enables TPPL batteries to generate more power as well as provide longer service life, greater reliability and deep-cycle capabilities.

ODYSSEY® Performance Series™ batteries feature a three- to 10-year service life and two-year storage life at 77 degrees Fahrenheit (25 degrees Celsius). They are vibration resistant, classified as “non-spillable” by the U.S. Department of Transportation and include a limited three-year full replacement warranty.

For more information on EnerSys and its full line of products, systems and support, visit www.enersys.com.

Connect with ODYSSEY® battery on [Instagram](#), [Twitter](#) and [Facebook](#). For more details including upcoming events and how to purchase ODYSSEY® batteries, visit www.odysseybattery.com.

ABOUT ENERSYS

EnerSys®, the global leader in stored energy solutions for industrial applications, manufactures and distributes reserve power and motive power batteries, battery chargers, power equipment, battery accessories and outdoor equipment enclosure solutions to customers worldwide. Motive power batteries and chargers are utilized in electric forklift trucks and other commercial electric-powered vehicles. Reserve power batteries are used in the telecommunication and utility industries, uninterruptible power supplies, and numerous applications requiring stored energy solutions including medical, aerospace and defense systems. Outdoor equipment enclosure products are utilized in the telecommunication, cable, utility, transportation industries and by government and defense customers. The company also provides aftermarket and customer support services to its customers from over 100 countries through its sales and manufacturing locations around the world.

#

Caption: The ODYSSEY® 31-925 battery provides the reliability and powerful performance required by today's commercial trucking and tractor trailer fleets.

